

**1 Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** AUTOSTIC 1100**Article number:** 0279**Registration number**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Laboratory chemical

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

Carl Roth GmbH + Co. KG
Schoemperlenstraße 3-5
76185 Karlsruhe
Germany

Telefon: +49/(0)721 5606-0**Telefax:** +49/(0)721 5606-149**E-Mail:** sicherheit@carlroth.de**Further information obtainable from:** Department Health, Safety and Environment**1.4 Emergency telephone number:****Poison Centre Munich****Telefon** +49/(0)89 19240**2 Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**Additional information:**

-

2.3 Other hazards

All chemicals are potentially dangerous. They are therefore only be handled by specially trained personnel with the necessary care.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 2)

Trade name: AUTOSTIC 1100

(Contd. of page 1)

3 Composition/information on ingredients

3.2 Chemical characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 1344-09-8	Silicic acid, sodium salt	 Xi R36/38	3-<10%
EINECS: 215-687-4		 Skin Irrit. 2, H315; Eye Irrit. 2, H319	

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures



4.1 Description of first aid measures

General information:

Remove any clothing soiled by the product.

After inhalation:

Supply fresh air.

After skin contact:

Rinse with water

If skin irritation continues, consult a doctor.

After eye contact:

To be sure rinse opened eye under running water. If there is any trouble seek medical help.

After swallowing:

Rinse out mouth and drink a glass of water. Do not induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

In the event of fire development of hazardous combustion gases or vapours possible.

Carbon monoxide and carbon dioxide

(Contd. on page 3)

**Trade name: AUTOSTIC 1100**

(Contd. of page 2)

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Not combustible.**6 Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not allow to enter sewers/ground water or penetrate the soil.

6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**7.1 Precautions for safe handling**

Handling corresponding to laboratory safety guidelines.

No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

None.

Recommended storage temperature: 15 - 25 °C**7.3 Specific end use(s)**

No further relevant information available.

8 Exposure controls/personal protection**Additional information about design of technical facilities:**

No further data; see item 7.

8.1 Control parameters**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Trade name: AUTOSTIC 1100

(Contd. of page 3)

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:

Not required.

Protection of hands:**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile, thickness: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level ≥ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, thickness: ≥ 0.11 mm

Value for the permeation: Level ≥ 6

Eye protection:

Tightly sealed goggles

Body protection:

Protective work clothing

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No. 1907/2006



Printing date 22.10.2013

Version number 2

Revision: 22.10.2013

Trade name: AUTOSTIC 1100

(Contd. of page 4)

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Colour:	Cream coloured
Odour:	Odourless
Odour threshold:	No information available.

pH-value at 20 °C: >11

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

Flash point: Not applicable.

Flammability (solid, gaseous): No information available

Ignition temperature: No information available

Decomposition temperature: No information available

Self-igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	No information available.
Upper:	No information available.

Oxidizing properties: No information available.

Vapour pressure: No information available

Density at 20 °C: 1.5 g/cm³

Vapour density: No information available

Evaporation rate: No information available

Solubility in / Miscibility with water:

Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): No information available

Viscosity:

Dynamic:	No information available.
Kinematic:	No information available.

9.2 Other information No further relevant information available.

10 Stability and reactivity

10.1 Reactivity

No information available

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids.

Zinc

Corrodes aluminium.

(Contd. on page 6)

Trade name: AUTOSTIC 1100

(Contd. of page 5)

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials:

No information available.

10.6 Hazardous decomposition products:

In case of fire: see item 5.

11 Toxicological information

11.1 Information on toxicological effects**Acute toxicity:****LD/LC50 values relevant for classification:**

Oral	LD50	1600-3200 mg/kg (rat)
1344-09-8 Silicic acid, sodium salt		
Oral	LD50	>2000 mg/kg (rat) anhydr.
Dermal	LD50	>4640 mg/kg (rabbit) anhydr.

Primary irritant effect:**on the skin:**

No information available.

on the eye:

No information available.

Sensitization:

No sensitizing effects known.

CMR effects:**Germ cell mutagenicity:**

No information available.

Carcinogenicity:

No information available.

Reproductive toxicity:

No information available.

Aspiration hazard:

No information available.

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Further information:

The product should be handled with the care usual when dealing with chemicals.

(Contd. on page 7)



Trade name: AUTOSTIC 1100

(Contd. of page 6)

12 Ecological information

12.1 Toxicity

Aquatic toxicity:

Fish toxicity:	
1344-09-8 Silicic acid, sodium salt	
LC50	3185 mg/l/96 h (Danio rerio) Reinsubstanz

Bacterial toxicity:

1344-09-8 Silicic acid, sodium salt	
EC	216 mg/l (Daphnia magna) EC50 96 h wasserfrei

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Ecotoxicological effects:

Remark:

Do not allow to enter waters, waste water, or soil!

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects

No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

Uncleaned packaging:

Recommendation:

Disposal according to official regulations.

14 Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No. 1907/2006



Printing date 22.10.2013

Version number 2

Revision: 22.10.2013

Trade name: AUTOSTIC 1100

(Contd. of page 7)

14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Remarks:	Not subject to transport regulations.
UN "Model Regulation":	-

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

R36/38 Irritating to eyes and skin.

Department issuing MSDS: Department: Health, Safety and Environment

Contact: Herr Heine

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No. 1907/2006



Printing date 22.10.2013

Version number 2

Revision: 22.10.2013

Trade name: AUTOSTIC 1100

(Contd. of page 8)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50*: Lethal Dose, 50 percent (Not relevant for classification)

LD50*: Lethal Concentration, 50 percent (Not relevant for classification)

*** Data compared to the previous version altered.**

GB